INDEX OF AUTHORS

VOLUME XLIV

TRANSACTIONS OF AMERICAN SOCIETY FOR METALS

1952

A

Adenstedt, H. K. 949, 990
Alfred, R. M. 1215
Apblett, W. R. 1200
Averbach, B. L. 240, 746, 1150
Avery, H. S. 57

B

Bailey, E. F. 204
Baldwin, W. M., Jr. 1004, 1047
Berry, J. M. 667
Bever, M. B. 410, 420
Bhat, G. 1058
Black, J. E. 452
Boegehold, A. L. 803
Brasunas, A. deS. 1117
Bruckart, W. L. 176
Butler, J. C. 138

C

Carruthers, R. C. 1150
Case, S. L. 667
Castleman, L. S. 240
Chipman, John 1215
Clark, C. L. 89
Clark, D. S. 726
Cohen, Morris 240, 746
Colner, W. H. 1158
Craig, W. J. 929

D

Doan, G. E. 452
Dorn, J. E. 882, 896
Dulis, E. J. 621, 877
Duwez, Pol 484, 495

E

Eastwood, L. W. 336

F

Fellows, J. A. 57
Fiedler, H. C. 410, 420
Fishel, W. P. 1030
Fleischmann, M. 89
Flinn, R. A. 282
Floe, C. F. 410, 420
Freeman, J. W. 89
Fulton, J. C. 1215

G

Geisler, A. H. 461
Gilman, J. J. 566
Gott, L. W. 1215
Grant, N. J. 113, 1117
Gregg, C. C. 367
Grover, H. J. 667
Grube, K. 336
Guernsey, D. L. 1215
Guy, A. G. 382, 397

H

Hansen, M. 518, 974
Harris, W. J., Jr. 204, 225

J

Jaffee, R. I. 176

K

Kessler, H. D. 518, 974
Klingler, L. J. 775
Koehler, E. L. 1076
Kopelman, Bernard 367
Kraft, R. W. 282

L

Lane, J. R. 113
Leckie-Ewing, P. 348
Libsch, J. F. 1058
Link, H. S. 549
Liu, T. S. 539
Loria, E. A. 870
Lorig, C. H. 30
Lorris, S. G. 746
Lubahn, J. D. 643

M

Maloof, S. R. 264
Marshall, E. R. 705
Marshall, P. W. 549
Martens, Howard 484
Martin, D. L. 461
McPherson, D. J. 518
Morton, P. H. 1004

N

Nicholson, M. E. 601

P

Pellini, W. S. 1200
Pequignot, J. R. 990
Peretti, E. A. 539
Porter, L. F. 310
Powers, A. E. 1058

R

Raymer, J. M. 990
Riches, J. W. 882
Rickett, R. L. 138
Rinebolt, J. A. 225
Ripling, E. J. 1047
Roberts, C. S. 1150
Robinson, A. T. 896
Roe, W. P. 1030
Rosenthal, P. C. 310

S

Samans, C. H. 601
Schuyten, John 853
Schwartzbart, Harry 845
Shaw, M. C. 705
Sherby, O. D. 882
Shortsleeve, F. J. 601
Shyne, J. C. 758
Sinclair, G. M. 929
Sinnott, M. J. 758
Small, R. B. 1215
Smith, G. V. 621, 877
Smith, W. K. 689
Stanley, J. K. 1097

T

Taylor, J. L. 495
Thomson, C. N. 1215
Thomson, R. F. 803
Tietz, T. E. 896
Troiano, A. R. 775

V

Van Thyne, R. J. 974

W

Walker, H. L. 1186
Walton, C. S. 138
Weeton, J. W. 436
Weinman, E. W. 803
Wensch, G. W. 1186
Wetmore, W. O. 689
White, W. F. 138
Wiener, George 1169
Wilks, C. R. 57
Wilson, D. M. 1215
Wood, D. S. 726
Woolsey, C. C., Jr. 689

Z

Zmeskal, Otto 1158

SUBJECT INDEX

Accelerated oxidation
of metals at high temperatures
chemical analysis of metal and oxides 1139-1143
effect of alloy composition on 1129-1132
effect of contamination on 1131-1132
graphical illustration of .. 1119
gravimetric study of.1128-1129
influence of molybdenum and vanadium on.1117-1119, 1130
in moving and stagnant atmospheres 1127-1129, 1132-1134
oxidation by metal oxides 1134
rate of oxidation as function of temperature.1125, 1127
rate of oxidation as function of time 1122-1126
rate of oxidation in air and oxygen 1126-1129
16 Cr – 25 Ni – 6 Mo or V-type alloys tested 1120
stimulating effect of oxide layer on 1118-1119
study of oxide growth.1135-1138
study of oxide mixtures.. 1138
study of oxide properties 1138-1139
test for 1120-1122
theory for mechanism of 1142-1145
thermal effect 1125-1127
typical examples of 1118, 1122-1123

Activation energy
for grain growth of nickel 1194-1197
for recrystallization of nickel 1191-1193

Activation heat of diffusion
chromium in alpha cobalt-chromium 446-447

Age hardening
cobalt-iron-vanadium alloys 469-472
of titanium-vanadium alloys
effect on tensile properties 1000-1002

Air
scaling of titanium in.
See Scaling.

Aluminum
2S-O
stress for a given deflection versus number of cycles 887-888

Aluminum alloys
creep resistance
function of alloying elements 896-927
fatigue properties of some binary alpha solid solutions 882-895
magnesium (6% base) for elevated temperature service
advantages of base alloy. 336
creep properties at 600 °F
beneficial effect of chromium and titanium.. 342
compared with other aluminum alloys ..339-345
poor creep properties of base alloy 336-337
room temperature properties
compared with other aluminum alloys ..341-342
tensile properties at 600 °F
compared with other aluminum alloys ...336, 339-345
time-deformation curves 345-347
similarity of 24S and experimental alloy ..345-347

Aluminum alloy, trade designation
61S
high temperature tests.652-657
rate sensitivity 656-657
stress-strain curve 656
stress versus aging time 657
low temperature tests..651-654
yield point phenomena 651-654
strain aging ..646, 651-657, 662
61S-T
rate sensitivity 646
effect of testing temperature 646

Aluminum carbide
thermodynamic properties . 866

Aluminum-copper alloys
creep data
correlation with tension test data 923-924
creep properties
effect of recovery 925-926

Aluminum-copper alloys (cont.)
creep strain
as a function of time.... 905
flow stress
effect of test temperature 914-916
rupture time
as a function of stress .909-911
secondary creep rates
as a function of stress .909-911
tension test data
correlation with creep data 923-924

Aluminum-germanium alloys
creep strain
as a function of time 907
flow stress
effect of test temperature 917
rupture time
as a function of stress... ..... 909-910, 912
secondary creep rates
as a function of stress 909-910, 912

Aluminum-magnesium alloys
creep data
correlation with tension test data 922
creep properties
effect of recovery 925-926
creep strain
as a function of time.... 904
flow stress
effect of test temperature 914, 916
rupture time
as a function of stress..909-910
secondary creep rates
as a function of stress..909-910
tensile strength
effect of temperature ..920-921

Aluminum nitride 866-867
as a grain growth inhibitor 867
thermodynamic properties . 866

Aluminum oxide 866-867
as a grain growth inhibitor 867
thermodynamic properties . 866

Aluminum-silver alloys
creep strain
as a function of time.... 908
flow stress
effect of test temperature 917

Aluminum-silver alloys (cont.)
rupture time
as a function of stress... ..... 909-910, 912
secondary creep rates
as a function of stress... ..... 909-910, 912

Aluminum-zinc alloys
creep data
correlation with tension test data 923
creep strain
as a function of time..... 906
flow stress
effect of test temperature 917
rupture time
as a function of stress... ..... 909-910, 912
secondary creep rates
as a function of stress..909-911

Andreasen pipette
for particle size analysis of powder 369, 372-374

Anisotropy of metals
relationship to fracture strength 30-55

Annealing
hydrogen annealing pure iron
embrittlement during. See Embrittlement.

Annual Address of the President 7

Annual Dinner of ASM..... 22

Annual Meeting of ASM..... 6

Annual Report of the Secretary 14

Annual Report of the Treasurer 10

Austenite
decomposition of retained austenite during tempering of SAE 2340 steel
heat treatments for study of 205-207
notch toughness
effect of quenching temperature on 215-216
impact vs. testing temperature curves 211-212, 214-215
most favorable structure for 210-212
tensile properties 215-216
tensile strength – hardness relationship 214

Austenite (cont.)
decomposition of retained during tempering of SAE 2340
transformation studies
decomposition structures 208, 215
effect of quantity of retained austenite ..208, 215
M_s temperature 208
metallographic study .208-210
transition temperature
as function of tempering temperature ..210, 212
effect of per cent retained austenite on 213-214
hardness relationship .213-214
effect of retained on mechanical properties of AISI 2340 steel
austenite contents of test specimens 241-243
lack of effect on tempering brittleness 245-246, 248-249, 254-255
similarity of results with AISI 4640 steel 246
slow bend tests
advantage over usual impact test 243
deflection and energy vs. tempering temperature .246-248
effect of fracturing on retained austenite ...247-248
effect of refrigeration.. ..... 244, 246-248
effect of —320 °F testing temperature 248-249
load vs. tempering temperatures 244
load parameters vs. tempering temperatures ..244-246
specimen and apparatus used 242-243
statistical interpretation of data 243-245
tension properties
autographic load-extension curves 251, 253
effect of refrigeration.250-251
elastic limit vs. tempering temperatures ..253-254
fracture strain and energy absorption vs. tempering temperatures ..251-253
tensile properties vs. tempering temperatures ..253-254

Austenite (cont.), effect of retained on mech. prop. of AISI 2340
tension properties
yield and fracture stress vs. tempering temperatures 250-254

Austenite, grain size
carbides as a growth inhibiting agent 864-865
effect of chemical composition 853-868
literature survey 854-856
effect of temperature on .861-864
3312 steels 861-862
iron-carbon-chromium steels 861-863
effect of nitrogen..... 862
iron-carbon-manganese steels 862-863
iron-carbon-nickel steels 861-862, 864
manganese as a growth inhibiting agent 865
typical microstructures ..859-860

Austenite, retained
in notch-bar tests 747-749
effect of tempering 748-749
as a function of distance from fracture 748-749
effect of tempering ..748-749
specimen 749-750
in tapered AISI 2340 tensile bars 749-755
as a function of distance from fracture 750-752
effect of tempering temperature 751-752
as a function of plastic strain 752-754
effect of tempering temperature 752-754
role of applied stress...754-755
transformation by plastic tensile strain 752
effect of tempering temperature 752
stress-induced transformation 746-756

Bend test
hammer-bend test. See Hammer-bend test.
slow bend test
in evaluating effect of retained austenite. See Austenite.
use in studying fracture....47-52

Boron
in 12% Cr steel
effect on hardenability .. 151

Brass
cold drawn
equivalent grain sizes ... 935
effect of cold work on Meyer hardness relation 932-933
effect of grain size on hardness 934-935
effect of grain size on Meyer hardness relation 932-933
fatigue characteristics
influence of cold work on 942-944
influence of grain size on 942-944
intercept yield stress
influence of grain size on 940-941
Meyer constants 932-934
relation between elastically recoverable work and irrecoverable work 938-940
influence of cold work .939-940
influence of grain size..939-940
tensile behavior 936-941
effect of cold work on..936-941
effect of grain size on..936-941
tensile strength 936-938
effect of cold work on..936-938
effect of grain size on..936-938
true stress – true strain curves 936-938
annealed 936-938
cold drawn 936-938
work hardening exponent
influence of grain size ... 940

Brittle tempering phenomenon
lack of effect of retained austenite on 245-246, 248-249, 254-255

Brittleness
rheotropic. See Rheotropic brittleness.

Carbide reactions
in high temperature alloys—modified Vitallium 74J, S-816, N-155 and 422-19 113-137
applicability of chromium-carbon diagram 133
applicability of chromium-carbon-iron diagram .. 133

Carbide reactions (cont.)
in high temperature alloys
chemical analysis of carbides 117-121
cobalt in carbides 120
decomposition of Cr_7C_3.123-124
effect of heat treatment.132-133
electrolytic separation of phases 114-115
measurement of phases.124-127
metallography 121-123
role of nitrogen 121
X-ray diffraction analysis of carbides 115-117

Carbides
in high speed steels
microhardness of. See High speed steel.

Carbon
in austenite
anisothermal diffusion .452-460
effect on transition temperatures of pearlitic steels... ..... 230, 232-233
gassing effect in enameling gray iron 317-319
influence in Cr-Ni cast alloys 59-60
solubility in molten iron.1215-1220
equation 1220, 1228, 1231
history 1215-1217

Carbonitriding
alloy steels 420-433
steel, AISI 1020 410-418
growth of cases 416-417
as a function of carbonitriding time 416-417
relation to thickness of compound layer ...416-417
microhardness .....
.....411, 414-416, 423-426
as a function of depth 411, 414-416, 423-425
effect of interruption of ammonia flow 414
effect of tempering 415-416, 426
effect of tempering time 415-416
photomicrographs 412
retained austenite .411-416, 424
as function of depth.411, 413
methods for reducing.412-416
interruption of ammonia flow 413

Carbonitriding (cont.)
retained austenite of AISI 1020
methods for reducing refrigeration 414-415
methods for reducing tempering 415-416
steel, AISI C 1117 428-430
microhardness 429-430
effect of carbonitriding temperatures 429-430
retained austenite
effect of carbonitriding temperature 428-429
steel, AISI 4620 428-429
microhardness 429
effect of carbonitriding temperatures 429
retained austenite
effect of carbonitriding temperature 428-429
steel, AISI 5120 421-428
carbon concentrations ... 425
as a function of depth . 425
effect of carbonitriding temperature 425
case structures 421-425
effect of carbonitriding temperatures 421-425
microhardness
as a function of depth 422-425, 427
as a function of tempering temperature .426-428
effect of time of tempering 427-428
nitrogen concentrations
as a function of depth .425-426
effect of carbonitriding temperature 425-426
retained austenite 421-425
steel, titanium bearing ..430-432
case structures 430-432
effect of carbonitriding temperatures 430-431
photomicrographs 431
microhardness 430-432
as a function of depth. 432
effect of carbonitriding temperature 430-432

Carbon steel
initiation of plastic strain in. See Plastic strain.
temper brittleness in. See Temper brittleness.

Cast iron
ductile. See Ductile cast iron.

Casting size
effect on mechanical properties of ductile cast iron. See Ductile cast iron.

Chemical analysis
of carbides
in high temperature alloys 117-121

Chromium
effect on Ac_3
in iron-chromium system 1035-1037
in iron-titanium-chromium system 1037-1039
influence in Cr-Ni cast alloys 59-60
in titanium-chromium alloys. See Titanium.

Chromium carbides
thermodynamic properties . 866

Chromium diffusivity
in alpha cobalt-chromium .436-448
concentration-penetration curves 441-442
diffusion coefficients ..442-444

Chromium-nickel cast alloys
Cr (21%) – Ni (9%), (HF type)
applications 75, 78-79
composition variations investigated 59-61
creep strength or related alloys 58
elevated temperature properties
creep and creep-rupture results 63-67
cyclic temperature effects 66-68
experimental test procedures 60-61
hot ductility 70-71
hot hardness vs. temperature 72-75
influence of carbon 59-60
influence of chromium ...59-60
influence of nickel 59-60
influence of nitrogen 59-60
influence of silicon 59-60
magnetic permeability 62-63, 65-69, 71
metallography 75-78, 84-85
oxidation resistance 71-72

Chromium-nickel cast alloys (cont.)
Cr (21%) – Ni (9%), (HF type)
physical and miscellaneous properties 71-75
room temperature mechanical properties 61-63
effect of section thickness 63
thermal fatigue 80-83
thermal stress characteristics 69-71
influencing factors 69
Cr (26%) – Ni (12%), (HH type)
elevated temperature properties
creep strength 65-66
magnetic permeability ...62-63
room temperature mechanical properties 61-63
effect of section thickness 63
thermal fatigue 80-83

Chromium-nickel-molybdenum alloys
accelerated oxidation at high temperatures 1117
16-25-6 alloy
chief characteristics 90-91
creep and rupture strength after prolonged time. 91-98, 106
duration of third stage. 96
influence of heat treatment 92-98
metallographic study .102-106
stability characteristics 99-102
time for minimum creep rate 94-96
total deformation characteristics 98-99
X-ray diffraction study 105-106
room temperature properties 91

Chromium-nickel steels
effect of carbide precipitation on the beginning of martensite formation ...634-635
thermal contraction curves 634
electron photomicrograph of ferrite grain 640
ferrite content after various treatments 626-628
ferrite formation associated with carbide precipitation .621-631
literature review 621-623

Chromium-nickel steels (cont.)
ferrite formation
microstructures 624-626
after reheating at 1800 °F 626
as received from service exposure 624-626
mode of formation 629-631
procedure for determining 623-624
ferrite transformation cycle at elevated temperatures .626-628
hardness after various treatments 626, 628
magnetic permeability
variation during heating and cooling 627-629
martensite transformation temperatures 635-636
phase diagram, partial 639
variation in ferrite content on cooling from 1380 °F 638-639
mode of formation 638-639

Chromium-nickel-vanadium alloys
accelerated oxidation at high temperatures 1117

Chromium nitride
thermodynamic properties . 866

Chromium oxide
thermodynamic properties . 866

Chromium stainless steel
12% Cr type
equilibrium diagram 141
formation of austenite
A_1 temperatures 140-143
austenitizing temperature for maximum as-quenched hardness .. 143
austenitizing temperature vs. grain size 143-144
compositions for 100% austenite 143-144
effect of carbon content 142-143
hardness vs. quenching temperature 140-141
isothermal transformation
comparison with published diagrams ...151-152
effect of composition.148-151
hardness after transformation 152-153
typical curves ..150-151, 154

Chromium stainless steel (cont.)
isothermal trans. of 12% Cr type
typical diagrams 146-147, 150-151
typical microstructures 147-150
quenching and normalizing
effect of high temperature heating 156-157
hardenability 153-154
hardness 153-156
retained austenite 157
tempering
effect of composition.163-165
effect of tempering temperature 158-161
effect of time 161-163
normalizing, tempering. 165
transformation to martensite 144-146
effect of carbon and other elements on M_s ...145-146

Chromium steel
annealed steels 556-558
hardness 557-558
effect of subsequent heat treatment ...557-558
microstructures 556-557
per cent sigma present.556-557
effect of subsequent heat treatment 556-557
cold-reduced 551-556
microstructures 552-555
per cent sigma present.551-556
effect of subsequent heat treatment 551-555
embrittlement at 885 °F ... .558, 560, 563
sigma phase formation...549-559

Chromium-vanadium system
phase boundaries 489

Clad molybdenum
for elevated temperature service
characteristics of bare molybdenum cladding metals investigated 178, 187
elevated temperature properties
creep properties 180, 191-192, 194
diffusion characteristics 193-195
oxidation resistance 180, 191-195
estimate of service life.195-197

Clad molybdenum (cont.)
for elevated temperature service
limitations to use 177
method of cladding 178-179
effect of rolling temperature 189-190
joining and edge protection 190-191
molybdenum-nickel phase diagram 181
nickel for best cladding .. 197
possible methods of protecting molybdenum .176-177
room temperature properties
bend ductility 179, 183, 185-187
bond strength ..179, 187-188
tensile properties 179, 184-188
thermal shock resistance 179-180, 188
stress-strain relationships 182-184
structure of clad molybdenum 181-182
thickness of cladding ..188-189
loss at elevated temperatures 195-196
types of molybdenum investigated 177, 184-185
mechanical properties 184-185
most promising types.. 198
welding studies 180

Cobalt-chromium
equilibrium diagram 437

Cobalt-iron-vanadium
phase diagram 467-469

Cobalt-iron-vanadium alloys
age hardening 469-472
dependence on composition 469
effect of aging temperature 470-472
effect of aging time....470-472
constitution 462
thermal analysis ..462-465, 469
X-ray diffraction analysis 465-467, 469
magnetic properties 472-477
effect of composition on. 473-476
effect of aging temperature 473-475
effect of aging time....473-475

Cobalt-iron-vanadium alloys (cont.)
structure 477-480
effect of aging temperature and time 477-480
transformation temperatures 464
hysteresis of α-γ transformation 464-465

Coefficient of expansion
of titanium-vanadium alloys 998-1001

Cold work
brass, 70-30
effect on Meyer hardness relation 932-933
effect on tensile behavior 936-941
effect on tensile strength 936-938
influence on fatigue strength 942-944
theoretical relations to fatigue 942

Concentration-penetration data
chromium in alpha cobalt-chromium 441-442

Constitution diagrams
See Phase diagrams.

Copper
creep curve at 300 °C 658-659
cutting data for single-point metal cutting process .718-719
comparison of effective stress and strain for cutting operation and tensile test 718-719
flow stress tendency .649-650, 658
effect of various heat treatments 649-650
strain aging.....647-652, 658-659
stress and strain characteristics at fracture 714-717
stress-strain curves interrupted by various heat treatments at no load .647-651
yield point tendency .649-650, 658
effect of various heat treatments 649-650

Corrosion resistance
of tin-plate steels 1076-1077

Creep
copper tested at 300 °C...658-659

Creep (cont.)
stress – secondary creep rate relationship to tensile strength – tensile strain rate 918-920
typical curve 903, 909
stages of creep 903, 909

Creep data
correlation with tension test data 922-924
aluminum-copper alloys .923-924
aluminum-magnesium alloys 922
aluminum-zinc alloys 923
scaling factor 924

Creep properties
of Al – 6% Mg base alloys .339-345
binary ferrites
effect of alloying elements 898-900
Cr (21%) – Ni (9%), HF-type alloys 63-67
effect of recovery
aluminum-copper alloys .925-926
aluminum-magnesium alloys 925-926
lead
effect of recrystallization 897-898
of 16-25-6 alloy. See also Chromium-nickel-molybdenum steel.
effect of time of test...89-112

Creep rates, secondary .....
.....903, 909-912, 918-920
as a function of stress. ..903, 909
aluminum-copper alloys .909-911
aluminum-germanium alloys 909-910, 912
aluminum-magnesium alloys 909-910
aluminum-silver alloys 909-910, 912
aluminum-zinc alloys ..909-911

Creep resistance
alpha solid solutions of aluminum 896-927

Creep strain
as a function of time.....903-908
aluminum 903
aluminum-copper alloys . 905
aluminum-germanium alloys 907

Creep strain (cont.)
as a function of time
aluminum-magnesium alloys 904
aluminum-silver alloys .. 908
aluminum-zinc alloys 906

Critical points
SAE 2340
effect of variation in cooling rates on 793-795
SAE 5140 steel
effect of variation in cooling rates on 793-794

Crystal structure
of $TiCr_2$ 508-512

Deformation
effect on grain growth in high purity iron. See Grain growth.

Delay time for yielding
definition 726

Delayed yield phenomenon
in annealed steels 726-741
procedure for determining 727-732
rapid-load tension tests 732
static tension tests ..731-732
test specimen 727-728
treatments 727-730
rapid-load tests 737-739
delay time versus stress at —75° F and 75 °F..737-738
annealed material 737
wet-hydrogen-treated materials 737
wet-hydrogen-treated and recarburized material 738
wet-hydrogen-treated and renitrided material .. 738
static tension tests 733-736, 739-741
static stress versus strain at —75 °F and 75 °F 733-736, 739-741
annealed specimens ... 733
effect of carbon content 740-741
effect of nitrogen content 740-741
empirical constants .739-740
wet-hydrogen-treated specimens 734
wet-hydrogen-treated and recarburized specimens 735

Delayed yield phenomenon (cont.)
static tension tests
stress vs. strain
wet-hydrogen-treated and renitrided specimens. 736

Density
Cr (21%) – Ni (9%), HF-type alloys 72
hafnium 950, 952
steel, Type 430 762
zirconium 950, 952

Diffraction data
for $TiCr_2$ 509-510

Diffusion
anisothermal
carbon in austenite 452-460
comparison of calculated and experimental determinations 456-460
mathematical analysis 453-457
interstitial. See Interstitial diffusion.

Diffusion coefficient
chromium in alpha cobalt-chromium 442-447
comparison of values calculated by Grube and Matano methods 443-444
relationship to concentration 443-444
relationship to reciprocal of temperature 444-447
copper in gold 446

Diffusion constant
for grain growth of nickel.. 1197

Diffusivity
chromium in alpha cobalt-chromium 436-448
concentration-penetration curves 441-442

Dilatometer
for high temperatures .1200-1213
accuracy of apparatus 1206
calibration 1205-1206
clip gage calibrating device 1205
design requirements 1201
dilation measurement ... 1202
electrical circuit, diagram 1204
general view 1202-1203
temperature measurement 1203-1205
test specimen 1201-1203

Dilatometer (cont.)
use in determining gamma loops
in iron-chromium system 1035-1037
in iron-titanium system.. 1032-1035
in iron-titanium-chromium system 1037-1039
use in determining titanium-vanadium system.992, 998-1001

Dislocation theory
applied to fracture 31

Ductile cast iron
fluidity 301-303
hardenability 299-302
mechanical properties
compared with those for normal cast iron 298-299
effect of grain size on..292-294
effect of graphite nodule size on 294
graphite size vs. section size 292
effect of matrix structure on
austenitic with chromium 288
austenitic without chromium 287-288, 295-296
bainitic and martensitic 290-291, 296-298
ferritic 289-290, 296
pearlitic 290, 296-298
effect of section thickness on 287-291
effect of tempering temperature on 297-298
effect of type of melting unit on 286, 288-289
graphite shape effects.... 295
as controlled by section size 295
impact data 299-301
massive carbide effects.294-295
reproducibility in commercial production 303-305
similarity to those for steel 290-298
microstructures 292-293
compared with normal cast iron 283-284
"Y" block test castings...283-285
range of cooling rates 285-286, 289
soundness 284-285

Ductility
at elevated temperatures
of Cr (21%) – Ni (9%) alloys 70-71
effect of flowline directionality on 33-34

Dushman-Langmuir equation 447

Elastic limit
effect of retained austenite on 253-254
of plain carbon steels ..1151-1156

Election of officers 21

Electrical resistivity
apparatus for measuring .957-959
hafnium 957-961
method for studying phase transformations in metals 1158
of titanium-vanadium alloys 996-998
of zirconium 956-961

Electron microscope study
of 16-25-6 alloy
to explain change in room temperature properties 101-106
to explain creep resistance 101-106
of temper-brittle steels. See Temper brittleness of steel.

Electron photomicrograph
chromium-nickel steel
ferrite grain 640

Electrolytic etching
sigma phase steels 566-596
procedure for investigating 567-569
stainless steel 566-596
etching films 569-574
colors of 569-573
cracks in 573-574
hydroxide solutions ...575-585
ammonium hydroxide 575-577, 583
barium hydroxide 578-579, 583
mechanism of etching.. 584-585
potassium hydroxide 578, 580-583
microstructure 571-572, 574
nonhydroxide electrolytes 585-589
cadmium acetate 586-588

Electrolytic etching (cont.)
stainless steel
nonhydroxide electrolytes
lead acetate 582, 585-587
potassium ferricyanide 585-586
potassium thiocyanate 586, 589
timer circuit diagram 569

Elevated temperature alloys
Al–6% Mg base 336-347
See also under Aluminum alloys.
carbide reactions in 113-137
See also Carbide reactions.
422-19 alloy 130
74J alloy 130-131
modified Vitallium alloys 127-130
N-155 alloy 131
S-816 alloy 131-133
clad molybdenum. See Clad molybdenum.
Cr (21%)–Ni (9%) alloy. See Chromium-nickel cast alloys.
16% Cr–25% Ni–6% Mo alloy
creep and rupture strength
effect of extended time on 89-112
See also under Chromium-nickel-molybdenum steel.

Elevated temperature properties
of Cr (21%)–Ni (9%) cast alloys 63-68
of Cr (26%)–Ni (12%) cast alloys 65-66

Elevated temp. tensile properties
at high heating rates 689-704
aluminum alloy 14S-T6
synthetic stress-strain curves at various temperatures 703
heat rate determination .694-696
rupture temperature determination 694, 696
stress-temperature relation
at 0.2% offset and rupture 697-703
aluminum alloys
14S-T6 .....700, 702
24S-T4 .....701, 702
75S-T6 702
annealed AISI C1020 steel 697, 701

Elevated temp. tensile prop. (cont.)
at high heating rates
stress-temperature relation
cold drawn AISI C1020 steel 698, 701-702
hardened AISI 4130 .699, 702
normalized AISI 4130 .698, 702
temperature-elongation curve 695
testing apparatus 690
test procedure 690-696
accuracy of method 696-697, 699-700
time-elongation curve ... 694
time-temperature curve . 694

Embrittlement
of pure iron during hydrogen annealing
cause of brittleness..1102-1105
influence of moisture 1102-1105
grain size effects 1097-1098
hammer-bend test for determining 1098-1099
appearance of fractured samples 1100
effect of oxygen ..1101-1102
effect of temperature 1100-1101
effect of time 1101-1102
results of tests ...1099-1102
impact evidence for..1097-1098

Enameling of gray cast iron
causes of gassing
changes occurring during ground coat firing .315-317
deleterious effect of heavy ground coat ..314, 316-317
need for adequate firing 316
dry process employed..311-313
effect of atmosphere ..319-322
atmosphere controlling furnace 319-320
gassing effect of carbon .317-319
gassing effect of iron oxide 319-321, 325-327
hydrogen from pickling and electrolytic treatments 327-329
hydrogen gassing 322-324
procedure variables affecting
effect of firing temperature 314
enameling cycles 313-314

Enameling of gray cast iron (cont.)
causes of gassing
procedure variables affecting
examples 314-315
time gassing occurs ... 314
tests on chilled iron
visual observation furnace
..... 315-316

End-quench test
comparison of cooling 1-inch 1045 steel round and several Jominy bar positions ..828-829
correlation curves for bar and round 841-842
correlation curves for identical cooling times in Jominy bar and round bars 811-813, 816-819
effect of coolant velocities 811-813, 816
effect of segregation 819
errors produced in predicting as-quenched hardness.816-818

End-quenched test
correlation of results with hardness and cooling characteristics of rounds ...803-834
fixtures for quenching rounds at various velocities 805-807
procedure 803-808
correlation positions for steels 9445 and 1045
effect of alloy content..826-829
effect of coolant velocity 828-829
effect of surface condition 826-829
effect of alloy content on cooling curves 827, 829
effect of alloy content on cooling rate 827, 829
effect of surface condition on cooling curves of 2-inch round 824-828
9420 steel 825-827
9450 steel 824-826
effect of coolant velocities 825-828
effect of terminal temperature on limits of errors in predicting hardness 809-810
"H" values computed by Lamont's method .....
..... 831-832, 836-837

End-quenched test (cont.)
"H" values computed
comparison of error in hardness prediction with that of correlation curves ...
..... 832, 836-837
hardness comparison of scaled vs. nonscaled rounds...823-824
steel 1045
time to cool from 1350 °F to various terminal temperatures 809
steel 9435
comparison cooling of 3-inch round and equivalent J-distance 830-831
cooling curves for 2-inch rounds 822-823
steel NE 9445
time to cool from 1350 °F to various terminal temperatures 809
steel 9447
average cooling time curves 821-823
steel 9450
effect of longitudinal segregation 819-821
comparison of cooling curves of a 2-inch round and equivalent Jominy bar positions 822-823
theoretical cooling curves .821-822
time-temperature relationships 837-838
effect of specimen length 837-838

Energy absorption
in tension
effect of retained austenite on 251-253

Equilibrium diagrams
titanium-nitrogen system .. 1006
titanium-oxygen system ... 1005
titanium-silicon system .525, 533
titanium-vanadium system . 994

Fatigue
SAE 4140 steel 799
surface-hardened notched specimens 667-683
assumed distribution of stress and strength ..687-688
effect of case depth ...679-681

Fatigue (cont.)
surface-hard. notched specimens
effect of heating method 680-681
effect of surface hardening 677-680
examination for distortion 673
hardened by gas heating 671-673, 675-677
hardness values for specimens 676
photomacrographs showing hardness pattern 675
scatter in hardness results 676-677
setup for hardening ... 671
superheat burners for .. 672
hardened by induction heating ...670-674, 676-677
hardness values for specimens 676
photomacrographs showing hardness pattern 674
scatter in hardness results 676-677
setup for induction hardening 670
hardness determinations 673-674, 676
illustrative failures 679
photomicrographs of typical structures 678
specimen 668-669
cracks in 675-676, 685-687
testing machine 672-673
theoretical relations to cold work 942

Fatigue machine
Krouse cantilever beam..886, 889
calibration curve 889
specimen 886

Fatigue properties
binary alpha solid solutions of aluminum 882-895
copper equivalent 893-894
correlation with maximum strain for various number of cycles to failure.893-894
strain hardening equivalency of various solute elements based on... 893
correlation with tensile properties 894-895

Fatigue properties (cont.)
binary alpha solid solutions
effect of alloying elements on maximum strain to induce failure at various cycles 890-892
effect of copper 890
effect of germanium 891
effect of magnesium 890
effect of silver 892
effect of zinc 891
correlation with plastic properties 882-885, 893-894
correlation with tensile strength 883, 892-895

Fatigue strength
of binary ferrites 884-885
comparison with tensile strength 884-885
brass, 70-30
influence of cold work on 942-944
influence of grain size on 942-944

Ferrite formation associated with carbide precipitation
chromium-nickel steels ..621-631
literature review 621-623
microstructures 624-626
after reheating at 1800°F 626
as-received from service exposure 624-662
mode of formation 629-631

Flow stress
copper, annealed
true stress-strain curves 714-715
correction factors 706-708, 711-713, 716
Bridgman's 706, 711
comparison of observed with those from Bridgman's empirical curve ..712-713, 716
Siebel-Davidenkov's 706-707, 711
determination from a tensile specimen 705-718
procedure 707
effect of test temperature 913-917
aluminum-copper alloys 914-916
aluminum-germanium alloys 917
aluminum-magnesium alloys 914, 916

Flow stress (cont.)
effect of test temperature
aluminum-silver alloys .. 917
aluminum-zinc alloys 917
relationship between uniform flow stress and true stress 706-708
correction factor 706, 708
equations 706-707
steel, SAE 4140
true stress-strain curves.709-713
stress distribution in the neck of a tensile specimen ..706, 708

Fracture behavior of metals
bend test study of 47-52
brittle vs. ductile 32
influence of structure 39-44, 53
influence of temperature and strain rate 50-51
ductility vs. flowline directionality 33-34
effect of strain rate ..35-36, 50-51
effect of temperature 50-51
flow and fracture stress related to strain 32
fracture appearance vs. origin 41-48
fracture of molybdenum ...47-52
initiated by carbides 51-52
internal ruptures 51-52
fracture of pearlitic steels ..38-41
initiated in carbide lamellae 38-40
fracture initiated by aluminum nitride 45-48
fracture initiated by ferrite 43-44
fracture initiated by sulphide inclusions 44-45
fracture strength 53-54
grain boundary effects
influence of orientation 36-37, 48-51
influence of temperature .34-36
relationship to softening temperature 34-36, 42
six possible fracture paths.. 41

Fracture characteristics
copper 714-717
steel 714-717

Gamma loop
in iron-chromium system
Ac_s transformations..1035-1037
dilation study 1035-1036

Gamma loop (cont.)
in iron-chromium system
gamma loop curve 1036
in iron-titanium system
Ac_s transformations..1034-1035
dilation study 1032-1033
gamma loop curve 1035
in iron-titanium-chromium system
Ac_s transformations..1037-1039
dilation study 1037

Gas evolution
during enameling of gray iron. See Enameling of gray cast iron.

Gas heating
surface-hardened fatigue specimens 671-673, 675-677

Grain boundaries of metals
fracture behavior vs. temperature 34-36
influence of orientation on properties 36-37, 48-51

Grain growth
in high purity iron
effect of time, temperature and deformation on 1132-1137, 1142
equation for 1142-1143
function of average grain size 1142-1143
hardness vs. per cent reduction 1131
hardness vs. time and temperature .1132-1133, 1135-1137
a function of decarburization 1134-1137, 1142
limiting grain size 1133
methods of measuring grain size 1130-1132
microstructures 1130-1131, 1138-1141
in nickel. See Nickel.

Grain size
brass, 70-30
effect on hardness 934-935
effect on Meyer hardness relation 932-933
effect on tensile behavior 936-941
effect on tensile strength 936-938
influence on fatigue strength 942-944

Grain size (cont.)
brass, 70-30
influence on intercept yield stress 940-941
influence on work hardening exponent 940
in high purity iron. See Grain growth.
Graphite
solubility in molten iron 1217-1229
at various temperatures 1223-1224
effect of manganese on 1222-1224, 1226, 1229
effect of silicon on 1220-1222, 1225-1229
Gray iron
gas evolution during enameling. See Enameling of gray cast iron.
Grube interface 441
Hafnium
density 950, 952
electrical resistivity 957-961
melting point 953
modulus of elasticity 950, 952-953
specific heat 954-955
thermoelectric properties 954-957
Hammer-bend test
for determining embrittlement of pure iron during hydrogen annealing 1098-1102
Hardenability
effect of specimen size ...776-779
SAE 1340 777-779
SAE 2340 777-779
SAE 5140 777-779
end-quench curves
4340H steel 817-818
8622H steel 817-818
end-quench test
comparison of scaled vs. non-scaled rounds 823-824
limitations 775-785
SAE 2340
cooling curves superimposed on TTT-curve 778, 781-782
SAE 5140
cooling curves superimposed on TTT-curve 778-779, 781-782
standard and subsize specimens 776-779, 797-798
Hardenability (cont.)
end-quench test
standard and subsize specimens
SAE 1340 777-778
SAE 2340 .....
..776-778, 797-798, 801-802
SAE 5140 .....
..776-778, 797-798, 801-802
steel 9450
end-quench curves 808, 819-821
effect of longitudinal segregation 819-821
effect of transverse segregation 808, 819
Hardening
of 12% Cr steel. See under Chromium stainless steel.
Hardness
annealed chromium steels 557-558
effect of subsequent heat treatment 557-558
brass, 70-30
effect of grain size on..934-935
of high purity iron 1131-1137, 1142
indium-antimony alloys ... 545
microhardness of carbides in high speed steels. See High speed steel.
of nickel, during recrystallization 1188-1190
Rockwell C – Vickers conversion chart 350
of titanium-chromium alloys 506-508, 987-988
of titanium-iron alloys ...987-988
of titanium-silicon alloys 534-535
of titanium-vanadium alloys 996-997, 999-1000
vs. temper brittleness 1065
Heat of activation 855-856
alpha brass 855
for grain growth of nickel 1194-1197
for recrystallization of nickel 1191-1193
Heat-resistant castings 57-88
See also Chromium-nickel cast alloys.
Heterogeneity of metals
effect on fracture behavior..33-50
six possible fracture paths 41
HF-type heat-resistant castings 57-88
See Chromium-nickel cast alloys.

High speed steel
microhardness of the major carbides
carbides in high vanadium types 351-356
hardness of carbides.351-356
hardness of matrix 355
hardness of tungsten carbide 351, 355
photomicrographs 352-354, 359-360
relative quantities and distribution 356-360
carbides in tungsten and tungsten-molybdenum types 356-360
hardness of carbides.359-360
photomicrographs ...357-358
relative quantities and distribution 356-360
differentiation of carbides 350-351
Eberbach microhardness tester used 350
Rockwell C – Vickers conversion chart 350
grindability of tungsten and tungsten-molybdenum types 362
grindability of high vanadium types 361-362
steels tested 349

High temperature alloys
See also Elevated temperature alloys.
linear expansion 1206-1209
thermal expansion coefficients 1208-1210

High temperature oxidation
accelerated. See Accelerated oxidation.

High temperature tests
alloy 61S 652-657
rate sensitivity 656-657
negative 657
specimen 656
stress-strain curve 656
stress vs. aging time for three testing rates 657

Hot hardness
Cr (21%) – Ni (9%), HF-type alloys 72-75

Hurlbut counter
for measurement of phases in high temperature alloys 124-127

Hydrogen
gassing effect in enameling gray iron 322-324, 327-329

Hydrogen annealing
embrittling effect on pure iron. See Embrittlement.

Hydrogen purification train .. 728

Impact energy
as a function of quenching severity 782-784
SAE 2340 783-784
SAE 5140 783-784
as a function of tempered hardness 782-784
SAE 2340 783-784
SAE 5140 783-784
effect of slack quenching.782-784
SAE 2340 783-784
SAE 5140 783-784

Impact, notch
SAE 2340 steel 782-784
SAE 5140 steel 782-784

Impact tests
use in evaluating temper brittleness 1060-1066

Impact values
Charpy V-notch
for ferritic steels 227-234
for notched SAE 2340 steel
effect of decomposition of retained austenite on. See Austenite.

Inclusions
in Type 347 steel 877-881
composition 880
diffraction angles 879
diffraction patterns 879-880
photomicrographs of 878

Inconel
as cladding material for molybdenum
for elevated temperature service 176-203

Indium-antimony
phase boundaries 539-545
procedure for determining 539-540
phase diagram 541

Indium-antimony alloys
hardness 545
microstructures 542-544
Indium-antimony system
InSb 539, 541-544
lattice parameter..539, 541, 542
microstructure 543-544
Indium-sodium system 546-547
Induction heating
surface-hardened fatigue specimens 671-674, 676-677
Interstitial diffusion
of carbon in austenite
activity diffusion coefficient
fugacity relationship .385-386
independent of concentration 386, 392-396, 399-400
relation to free energy of activation 399-400
values for 390-392, 394
carbon activity
as a function of concentration 388-392
as function of time and distance 386-387
diffusion constants governing 397
place change coefficient 399, 401-403
diffusion equations
activity equation 385-386
carbon atom movements 398-400
Fink laws 383-385
place change coefficient 401-403
step-by-step method of solving 386-392
jump process 398
energy of activation of 398-400
jump frequency 399-400
steady-state diffusion data 392-394
discrepancy between observed and predicted values 393, 395
plotted in terms of activities 392, 394
Iron
chromium system
gamma loop study. See Gamma loop.
Iron (cont.)
embrittlement in hydrogen. See Embrittlement.
grain growth
in high purity iron. See Grain growth.
in titanium-iron alloys. See Titanium.
titanium-chromium system
gamma loop study. See Gamma loop.
titanium system
gamma loop study. See Gamma loop.
Iron-chromium
phase diagram, partial 550
Iron-chromium alloys
ferrite/ferrite plus sigma boundary 553, 561-562
Iron-chromium system
phase boundaries 487
Iron-chromium-vanadium system
phase boundaries 489-490
phase relationships in ...484-492
sigma phase 491-492
crystal structure 491
variation of axial ratio with chromium or vanadium content 491-492
variation of lattice parameter with chromium or vanadium content 491-492
Iron-manganese alloys
solubility of carbon in 1222-1224, 1226, 1229
as a function of temperature at constant manganese: iron ratios 1224
at various temperatures 1223-1224
Iron, molten
solubility of carbon in..1215-1220
equation 1220, 1228, 1231
history 1215-1217
Iron oxide
gassing effect in enameling gray iron 319-321, 325-327
Iron-silicon alloys
solubility of carbon in 1220-1222, 1225-1229
at various temperatures 1221-1222, 1225-1228

Iron-vanadium system
phase boundaries 487-488
lattice parameter vs. composition 487-488

Isothermal transformation
in Cr (12%) steel 146-153
nickel-chromium-molybdenum steel 870-876
velocities of transformation of various steels 874-876
influence of carbon 874-875
influence of chromium ... 875
influence of nickel 875-876

Lattice constants
$TiSi_2$ 518

Lead
creep properties
effect of recrystallization 897-898

Linear expansion
high temperature alloys 1206-1209

Low temperature tests
alloy 61S
yield point phenomena 651-654
effect of prior strain .651-652

Machinability
Cr (21%) – Ni (9%) alloys.. 75

Magnetic permeability
chromium-nickel steels
variation during heating and cooling 627-629
of Cr (21%) – Ni (9%), HF-type alloys 62-63, 65-69, 71
of Cr (26%) – Ni (12%), HH-type alloys 62-63

Magnetic properties
cobalt-iron-vanadium alloys 472-477

Manganese
effect on transition temperatures of pearlitic steels... ..... 230, 232-233

Manganese banding
effect on mechanical properties of steel plate....845-852
procedure for determining 846-847

Manganese-nickel steel
dilation study 1212-1213

Mechanical properties
of Cr (21%) – Ni (9%) cast alloys 61-63
of Cr (26%) – Ni (12%) cast alloys 61-63
of ductile cast iron. See Ductile cast iron.
of steel
effect of flowline directionality on 33-34

Melting point
of Cr (21%) – Ni (9%), HF-type alloys 72
hafnium 953
zirconium 953

Metal powder
particle size analysis. See Powder.

Meyer constants
for work-hardened and annealed 70-30 brass 932-934

Meyer hardness relation
brass, 70-30
effect of cold work on .932-933
effect of grain size on..932-933

Microhardness
of carbides in high speed steels. See High speed steel.
Rockwell C – Vickers conversion chart 350

Microscopic examination
of carbide reactions
in high temperature alloys — modified Vitallium, 74J, S-816, N-155, and 422-19 121-127
for particle size analysis of powders 372-374

Microstructure
cobalt-iron-vanadium alloys 477-480
of Cr (21%) – Ni (9%) cast alloys 75-78, 84-85
of ductile cast iron 283-284, 292-293
end-quench test
effect of specimen size .779-781
SAE 2340 779-781
SAE 5140 779-781
of high purity iron 1130-1131, 1138-1141
indium-antimony alloys .542-544

Microstructure (cont.)
of 16-25-6 alloy
after prolonged creep tests 102-106
of surface layers of tin-plate steels 1082-1087
of titanium-chromium alloys 980-981
of titanium-iron alloys ..985-986
of titanium-silicon alloys.524-529
of titanium-vanadium alloys 995-997, 1000
of 12% Cr steel.....
..147-150, 152, 155-156, 159-160

Midwinter Meeting, ASM—Pittsburgh, January 31 and February 1, 1952 28

Modulus of elasticity
Cr (21%) – Ni (9%) alloys..72-73
hafnium 950, 952-953
zirconium 950, 952-953

Molybdenum
cladding for elevated temperature service. See Clad molybdenum.
effect on accelerated oxidation at high temperatures. See Accelerated oxidation.
linear expansion characteristics 1209-1212
thermal expansion curve ...1211

Nickel
as cladding material for molybdenum
for elevated temperature service 176-203
effect on transition temperatures of pearlitic steels ..230, 232-233
influence in Cr-Ni cast alloys 59-60
recrystallization and grain growth
determination of grain size 1188
isothermal grain growth
diffusion constant for.. 1197
effect of deformation on 1192-1193
effect of specimen thickness on 1193-1194
heat of activation for.. 1194-1197
isothermal anneal .1187-1188
recrystallization of
activation energy for.1191-1193

Nickel (cont.)
recrystallization of
effect of deformation on. 1190-1191
hardness vs. time and temperature 1188-1190
isothermal anneal 1187

Nickel-chromium-molybdenum steel
isothermal transformation of austenite in 870-876
microstructures 873
TTT-diagram 872-874

Nickel-chromium steels
sigma formation at 1200°F 601-618
composition limits 601-618
effect on properties 610
effect of steelmaking elements 608
in the 18:8 region.....605-607
phases present 607
phase diagram 605
previous work 602-603
procedure for determining 603-604
sigma-forming tendencies at 1200 °F
effect of manganese additions 611-612
effect of molybdenum additions 614-617
effect of silicon additions 610-614

Nitrogen
effect on transition temperatures of pearlitic steels..... 233
influence in Cr-Ni cast alloys 59-60
scaling of titanium in ..1019-1021

Normalizing
of 12% Cr steel.....153-157, 165

Notch properties
obtained in slow-bend test
effect of retained austenite on. See Austenite.

Notch toughness
of tempered SAE 2340 steel
effect of decomposition of retained austenite on. See Austenite.

Oxidation
acceleration at high temperatures. See Accelerated oxidation.
of titanium in air. See Scaling.

Oxidation resistance
of Cr (21%) – Ni (9%) cast alloys 71-72

Oxygen
gassing effect in enameling gray iron 319-322
scaling of titanium in..1019-1021

Palo-Travis analyzer
for particle size analysis of powder 369, 374

Particle size analysis
of metal and inorganic powder. See Powder.

Phase boundaries
chromium-vanadium system 489
iron-chromium system 487
iron-chromium-vanadium system 489-490
iron-vanadium system 487
lattice parameter versus composition 487-488
titanium-chromium system 495-506

Phase diagrams
chromium-nickel 639
cobalt-chromium 437
cobalt-iron-vanadium 467-469
indium-antimony 541
titanium-chromium system. 498, 977, 979
titanium-iron system 984

Phase transformations
electrical resistance apparatus for studying...1158-1162
accuracy of method 1163
transformations in precipitation hardening stainless steels 1163-1167
changes in resistance during heating and cooling . 1164
effect of rate of cooling on 1165-1166
effect of solution temperature on 1164-1166
reason for changes in resistance 1165-1167
typical procedure ...1162-1163

Phosphorus
effect on transition temperatures of pearlitic steels 231-233

Photelometer
for particle size analysis of powder 368, 370-374

Physical properties
of Cr (21%) – Ni (9%) cast alloys 71-75

Pickle lag
of tin-plate steels
cause of..1079, 1082, 1088-1089
definition of 1076-1077
effect of annealing 1078, 1087-1088
evaluating degree of
depth of pickle lag layer 1079-1080, 1088
weight loss method ... 1079
factor controlling final pickle rate 1078-1079
for evaluating corrosion resistance 1076-1077
hydrogen evolution test for 1077, 1092
microscopic study
after different pickling times 1082-1085
of steels with no pickle lag 1086-1087
of types of acid attack 1082-1083
potential method of measuring .1080-1082, 1094
advantages 1081-1082
disadvantage 1082, 1091
typical results 1080-1081, 1086, 1089
weight loss in acid test.. 1077
composition of dissolved layers 1083-1086
typical results 1077-1080, 1086, 1096

Pickling rate test
for tin-plate steels. See Pickle lag.

Plain carbon steel
See Carbon steel.

Plastic deformation
as explained by dislocation theory 31

Plastic strain
initiation in plain carbon steels
determined by intermittent method of stressing . 1151
advantages of method. 1153-1154
effect of prestrain 1154
effect of structure .1153-1156

Plastic strain (cont.)
initiation in plain carbon steels
determined by stressing
elastic limit and yield strength values..1151-1156
results compared with continuous loading..1151-1152
in tapered AISI 2340 tensile bars 751
as a function of distance from fracture 751
effect of tempering temperature 751

Point counting
for measurement of phases in high temperature alloys.124-127

Powder
sub-sieve particle size analysis
dispersion of powder in liquid
by spatulation technique 369-370, 374-375
factors affecting 375-377
liquid medium 370
most accurate methods .368, 374
cause of discrepancies .371-374
comparison of results .372-374
standardized procedure for tungsten powder 374
with Andreasen pipette
a sedimentation method 369
results 372-374
with microscope
correlation with other methods 372-374
with Palo-Travis analyzer
a sedimentation method 369
results 374
with Photelometer
a turbidimetric-sedimentation method 368
results 370-374
with Roller analyzer
a gas elutriation method 369
results 372-374
with sub-sieve sizer
a gas permeability method 368-369
results 370-374

President's Annual Address .. 7

Pressure welding apparatus .. 439

Prestrain
of plain carbon steels
effect on elastic limit and yield strength 1154

Prestressing
effect on rheotropic brittleness
of precompression vs. pretension 1047

Quenching characteristics
of a salt bath.....758-768
assumptions made for a mathematical solution 758-759
cooling rates 766-768
comparison of actual and computed rates ...767-768
determination of film coefficients 764-766
film coefficients .....
..... 764-766, 771-773
as a function of temperature difference between surface and quenching bath 765-766
effect of bath temperature 765-766
equation 765, 771-772
factors influencing 764
procedure for determining 761-762
severity of quench ..762-764, 769
effect of agitation of bath 769
effect of quenching temperature on 762-764
effect of unattained temperature increment .762-764
quenching constants ..
..... 762-764, 769

Rate sensitivity 645-646
alloy 61S-T
effect of testing temperature 646
definition 646

Recrystallization
of nickel. See Nickel.

Refrigeration
effect on retained austenite and mechanical properties 244, 246-248, 250-251, 254

Retained austenite. See Austenite.

Rheotropic brittleness
explanation of 1047-1049
of aluminum alloy 24S-T4..
..... 1053-1054
of SAE 1340 steel
effect of precompression vs. pretension on ..1051-1053

Rheotropic brittleness (cont.)
of SAE 1340 steel
effect of testing temperature 1050-1053

Roller analyzer
for particle size analysis of powder 369, 372-374

Rupture strength
of 16-25-6 alloy. See also Chromium-nickel-molybdenum steel.
effect of time of test....89-112

Rupture time
as a function of stress...909-912
aluminum-copper alloys .909-911
aluminum-germanium alloys 909-910, 912
aluminum-magnesium alloys 909-910
aluminum-silver alloys 909-910, 912
aluminum-zinc alloys ..909-911

Salt bath
quenching characteristics.758-774
cooling rates 766-768
film coefficients 764-766
quenching constants 764-766, 769
severity of quench.....762-764

Scaling
of titanium in air
Bureau of Mines titanium
changes with time.1008-1013
effect of temperature.. 1009-1022
nature of scale....1009-1013
rate of scaling.....1013-1022
scaling in nitrogen.1019-1021
scaling in oxygen..1019-1021
National Lead Co. titanium 1022
parabolic scaling rate constant 1024-1026
relationship to conductivity 1025
summary of existing data 1007
titanium from private source 1022-1023
titanium-nitrogen equilibrium diagram .. 1006
titanium-oxygen equilibrium diagram .. 1005
transition behavior ..1026-1027
types of titanium tested . 1008

Scaling (cont.)
of titanium in air
X-ray analysis 1008, 1010-1012, 1024-1025

"S" curves
isothermal reaction rates.818-819
variation with composition 818-819
variation with temperature 818-819

Secretary's Annual Report .. 14

Segregation
effect on end-quench test results 808, 819-821

Sigma formation
nickel-chromium steels at 1200 °F
composition limits 601-618
effect on properties 610
effect of steelmaking elements 608
in the 18:8 region 605-607
phases present 607

Sigma-forming tendencies
AISI steels at 1200 °F ...608-610
nickel-chromium steels at 1200 °F 610-617
effect of manganese additions 611-612
effect of molybdenum additions 614-617
effect of silicon additions 610-614

Sigma phase
annealed chromium steels .556-557
effect of subsequent heat treatment 556-557
cold-reduced chromium steels 551-556
effect of subsequent heat treatment 551-555
iron-chromium-vanadium system 491-492
crystal structure 491
variation of axial ratio with chromium or vanadium content 491-492
variation of lattice parameters with chromium or vanadium content ..491-492
in various steels 589-595
cast valve steel 589-590
procedures for determining 589
stainless steel
Type 302 .....589, 591, 595

Sigma phase (cont.)
in stainless steel
Type 310 .....593, 595
Type 314 575-583
Type 316 .....592, 595
Type 321 .....594, 595
Sigma phase formation
steels, high chromium ...549-559
Silicon
effect on transition temperatures of pearlitic steels.232-234
influence in Cr-Ni cast alloys 59-60
Slow bend test
in evaluating effect of retained austenite. See Austenite.
Softening temperature
effect on fracture behavior. 34-36, 42
Specific heat
hafnium 954-955
steel, Type 430..... 762
zirconium 954-955
Stainless steel
electrolytic etching 566-596
etching films 569-574
colors of 569-573
cracks in ...573-574, 597-598
hydroxide solutions ...575-585
ammonium hydroxide 575-577, 583
barium hydroxide 578-579, 583
mechanism of etching 584-585
potassium hydroxide 578, 580-583
microstructures ...571-572, 574
nonhydroxide electrolytes 585-589
cadmium acetate 586-588
lead acetate 582, 585-587
potassium ferricyanide. 585-586
potassium thiocyanate 586, 589
phase transformations in 1163-1167
sigma-forming tendencies at 1200 °F 608-610
12% chromium. See Chromium stainless steel.
Static bending
surface-hardened notched specimens 861-862
Static bending (cont.)
surface hard. notched specimens
relation of transverse bending strength to case depth 682
setup for 681-682
Steel
high speed steel. See High speed steel.
plain carbon
initiation of plastic strain. See Plastic strain.
retained austenite in
effect on mechanical properties. See Austenite.
rheotropic brittleness 1047
temper brittleness. See Temper brittleness of steel.
tin-plate steel
pickle lag. See Pickle lag.
transition temperature in pearlitic steels
effect of alloying elements on. See Transition temperatures.
Steels, annealed
delayed yield phenomenon in 726-745
theories to explain 743-745
Steel, manganese
microstructure 847, 849
effect of homogenization treatment 847, 849
tensile properties ...848, 850-851
tensile strength vs. elongation
effect of homogenization 850-851
tensile strength versus reduction in area ...850-851
effect of homogenization 850-851
versus tempering temperature 848, 850
effect of homogenization 848, 850
Steel, mild
strain aging 644-645, 659-662
effect of testing temperature on flow stress at constant strain rate 660-661
variation of rate sensitivity with temperature 660
variation of stress with rate at various temperatures 659-660
stress-strain curves 644-645

Steel, mild (cont.)
stress-strain curves
effect of room temperature aging after stretching. 644-645
tested at various temperatures 644-645

Steel, titanium bearing
carbonitriding 430-432
case structures 430-432
effect of carbonitriding temperatures 430-431
photomicrographs 431
microhardness 430-432
as a function of depth. 432
effect of carbonitriding temperature 430-432

Steel, trade designations
AISI 1020
carbonitriding .410-418, 423-426
growth of cases 416-417
microhardness of case. 411, 414-416, 423-426
retained austenite 411-416, 424
as a function of depth 411, 413
methods for reducing 412-416
AISI C 1117
carbonitriding 428-430
microhardness 429-430
effect of carbonitriding temperatures .429-430
retained austenite
effect of carbonitriding temperature .428-429
AISI 2340
stress-induced transformation of retained austenite in 746-756
true stress – true strain tapered tensile test..749-750
effect of tempering temperature 749-750
AISI 4620
carbonitriding
retained austenite
effect of carbonitriding temperature .428-429
microhardness
effect of carbonitriding temperatures 429
AISI 5120
carbonitriding 421-428
carbon concentrations . 425

Steel, trade designations (cont.)
AISI 5120, carbonitriding
case structures 421-425
microhardness 422-428
as a function of depth 422-425, 427
as a function of tempering temperature 426-428
effect of time of tempering 427-428
nitrogen concentrations 425-426
retained austenite ...421-425
SAE 1340
hardenability 777-778
SAE 2340
critical points
effect of variation in cooling rates 793-795
effect of decomposition of retained austenite on notch toughness and tensile properties. See Austenite.
end-quench test
cooling curves superimposed on TTT-curve 778, 781-782
microstructures 779-781
hardenability.776-779, 786-789, 792, 797-798, 801-802
compared with SAE 5140 ....786-789, 792, 797-798, 801
notch impact tests 782-784
SAE 4140
S-N curves 799
stress and strain characteristics at fracture 714-717
SAE 5140
critical points
effect of variation in cooling rates on ...793-794
end-quench test 778-782
cooling curves superimposed on TTT-curve 778-779, 781-782
microstructures 779-781
hardenability.776-779, 786-789, 792, 797-798, 801-802
compared with SAE 2340 ....786-789, 792, 797-798, 801
notch impact tests 782-784
Type 347 steel
inclusions in 877-881
composition 880
diffraction angles 879

Steel, trade designations (cont.)
inclusions in Type 347 steel
diffraction patterns .879-880
microstructure 878
Type 430
density 762
specific heat 762
thermal conductivity 762

Strain
rate vs. type of fracture....
..... 35-36, 50-51
relationship to flow and fracture stress 32

Strain aging
alloy 61S 646, 651-657, 662
copper 647-652, 658-659
grain size of annealed OFHC copper 647-648
after heating 1 hour at 1380 °F 647, 649
photomicrographs ...648-649
test specimen 647-648
drawing 648
effects associated with ..643-647
discontinuous yielding ... 645
rate sensitivity 645-646
strengthening 644
yield point phenomenon.. 644
mild steel 644-645, 659-662
effect of testing temperature on flow stress at constant strain rate.....660-661
variation of rate sensitivity with temperature .. 660
variation of stress with rate at various temperatures
..... 659-660

Stress
flow stress – fracture stress
effect of grain orientation .48-51
effect of structure 37-38
relationship to strain ... 32
theories for metal behavior under stress
dislocation theory 31
mathematical relationships
..... 31-32

Stress, normal
equations 716

Stress-rupture
of 16-25-6 alloy. See also Chromium-nickel-molybdenum steel.
effect of time of test....89-112

Stress-strain curves
aluminum 912-915
effect of copper on..... 914
effect of germanium on.. 915
effect of magnesium on.. 913
effect of silver on..... 915
effect of zinc on..... 914
copper 647-651
interrupted by various heat treatments at no load.647-651
mild steel 644-645
effect of room temperature aging after stretching..
..... 644-645
tested at various temperatures 644-645

Structure
of plain carbon steels
effect on initial plastic strain 1153-1156

Student's "t" distribution curve
use in evaluating slow bend tests 244-245

Sub-sieve sizer
for particle size analysis of powder 368-374

Technical Program and Reports of Officers, ASM—33rd Annual Convention, Detroit, October 13 to 19, 1951 1

Temper brittleness
definition 1073
in plain carbon steels
effect of alloying elements on 1066
effect of time and temperature 1060-1061
on impact energy and fracture appearance .1063-1066
iso-embrittlement curves
..... 1063-1067
isothermal embrittling treatment 1062
mechanism of 1066-1067
method of avoiding .1060, 1067
method of measuring ...
..... 1059, 1062-1063
nonreversible reaction ...
..... 1060, 1066
previous findings 1058-1059
transition temperatures . 1064
effect of hardness on .. 1065

Temper brittleness (cont.)
in steel
effect of prolonged heating at embrittling temperature 272-273
electron microscope investigation 266
differences in precipitate 272-273
electron microscope micrographs 268-272
heat treatments investigated 265
steels investigated 264-265
X-ray diffraction measurements
extraction of carbides . 265
chemical analysis of carbides 266-268
X-ray analysis of carbides 267-268
lattice parameters of steels 266-267

Tempering
of SAE 2340 steel
decomposition of austenite during
effect of notch toughness and tensile properties. See Austenite.
of 12% Cr steel 157-165

Tensile behavior
brass, 70-30
effect of cold work on..936-941
effect of grain size on..936-941

Tensile properties
of tempered SAE 2340 steel
effect of decomposition of retained austenite on. See Austenite.

Tensile strength
brass, 70-30
effect of cold work on..936-938
effect of grain size on..936-938
effect of retained austenite on 250-254
effect of temperature 920-921
aluminum-magnesium alloys 920-921

Tension test data
correlation with creep data 922-924
aluminum-copper alloys 923-924

Tension test data (cont.)
correlation with creep data
aluminum-magnesium alloys 922
aluminum-zinc alloys ... 923
scaling factor 924, 927

Thermal conductivity
steel, Type 430 762

Thermal expansion
Cr (21%) – Ni (9%) alloys..72-73
hafnium 961, 963-965
coefficients of linear expansion 961, 963-965
dilation curve 962
molybdenum 1209-1212
tungsten 1210-1212
zirconium...961, 963-965, 969-970
coefficients of linear expansion 961, 963-965
dilatometer curves .962, 969-970

Thermal expansion coefficients
high temperature alloys .1208-1210
molybdenum 1212
tungsten 1212

Thermal fatigue
of Cr (21%) – Ni (9%) type alloys 80-83
of Cr (26%) – Ni (12%) type alloys 80-83

Thermodynamic properties
aluminum carbide 866
aluminum nitride 866
aluminum oxide 866
chromium carbides 866
chromium nitrides 866
chromium oxides 866

Thermoelectric properties
hafnium 954-957
zirconium 954-956

Tin-plate steels
pickle lag. See Pickle lag.

Titanium
chromium system
hardness of alloys 987-988
melting range determinations 982
annealing method 982
incipient melting method 981-982
thermal analysis 982
metallographic study ..978-980
effect of oxygen 979
microstructures 980-981

Titanium (cont.)
chromium system
phase diagrams 977, 979
previous results 976-978
X-ray diffraction study .. 981
effect on Ac_3
in iron-titanium system 1034-1035
in iron-titanium-chromium system 1037-1039
effect on transition temperatures of pearlitic steels.....232, 234
iron system
hardness of alloys 987-988
melting range determinations 987
annealing method 987
thermal analysis 986
metallographic studies .983-986
effect of oxygen 984
microstructures 985-986
phase diagram 984
previous results 982-983
X-ray diffraction studies. 986
nitrogen equilibrium diagram 1006
oxygen equilibrium diagram 1005
scaling in air. See Scaling.
vanadium system
dilatometric studies 992, 998-1001
hardness studies 992, 996-997, 999-1000
incipient melting studies . 993
metallographic studies 991-995, 997-1000
microstructures .995-997, 1000
phase diagram 994
resistivity studies .992, 996-998
titanium – 15% vanadium alloy
effect of age hardening on properties ...1001-1002
X-ray diffraction studies. 993, 995, 998-999

Titanium-chromium
phase diagram 498

Titanium-chromium alloys
dilatometer curves 515-516

Titanium-chromium system
alloys quenched from 980 °C 498-508
hardness vs. composition 506-508
effect of oxygen and nitrogen absorption ... 507

Titanium-chromium system (cont.)
alloys quenched from 980 °C
isothermal treatment above eutectoid temperature 501-502
microstructures 502-504
isothermal treatment below eutectoid temperature 502
microstructures 505-506
lattice parameter vs. composition 500-501
microstructures 499
gamma phase 508-512
composition 510-512
phase boundaries 495-506

Titanium-silicon
phase diagram 525

Titanium-silicon alloys
furnaces for melting.....519-523
electrode arc furnace ..519-520
drawing 520
induction furnace 521-523
drawing 522
microstructures 524-529
physical properties 534-535
hardness 534-535

Titanium-silicon system
melting range determinations 529-531
microscopic detection .530, 532
phase boundaries 518-534
procedure for determining 518-524
TiSi 525-530
diffraction patterns ...529-530
structure 527-528
TiS_2 .....518, 527-530
diffraction patterns ...529-530
lattice constants 518
structure 527-528
Ti_5S_8 .....524-526, 529-530
diffraction patterns ...529-530
structure 526
X-ray studies 529-530

Transformation
electrical resistance apparatus for studying. See Phase transformations.

Transformation temperatures
Ac_3 for iron-chromium system 1035-1037
Ac_3 for iron-titanium system 1034-1035

Transformation temperatures (cont.)
Ac_3 for iron-titanium-chromium system ...1037-1039
cobalt-iron-vanadium alloys 464-465

Transition temperatures
of pearlitic steels
compositions investigated 226-227
impact tests 227-229
temperature of disappearance of flow markings....231, 233
transition curves
with various carbon contents 230, 232-233
with various manganese contents 230, 232-233
with various nickel contents 230, 232-233
with various nitrogen contents 233
with various phosphorus contents 231-233
with various silicon contents 232-234
with various titanium contents 232, 234
upper and lower transition temperatures
cause of two temperatures 226
comparison at constant composition 234-235
comparison of effect of alloying elements on 234
definitions 225-226
of SAE 2340 steel 210-215
temper-brittle transition temperatures for plain carbon steels 1064

Treasurer's Annual Report .. 10

Tungsten
linear expansion characteristics 1210-1212
thermal expansion curve .. 1211

Tungsten powder
particle size analysis. See Powder.

Unit cell
$TiCr_2$ 510-511
model 511

Vanadium
effect on accelerated oxidation at high temperatures. See Accelerated oxidation.
in titanium-vanadium alloys. See Titanium.

Vicalloy
compositions 461-462

Weldability
Cr (21%) – Ni (9%) type alloys 75

Work hardening capacity
Meyer analysis 932

X-ray diffraction
analysis
of carbides in high temperature alloys 115-117
of titanium-chromium system 981
of titanium-iron system.. 986
of titanium scaling in air ...1008, 1010-1012, 1024-1025
of titanium-vanadium system 993, 995, 998-999
observations on temper-brittle steels. See Temper brittleness of steel.
patterns
titanium-silicon intermediate phases 529-530
study of 16-25-6 alloy after prolonged creep tests 105-106

Yield strength
effect of retained austenite on 250-254
of plain carbon steels ..1151-1156

Zirconium
density 950, 952
electrical resistivity 957-961
melting point 953
modulus of elasticity.950, 952-953
specific heat 954-955
thermoelectric properties 954-956